# 9000 LITRE TITAN FUELMASTER+ FUEL STORAGE AND DISPENSING TANK

The 9000 Litre Kingspan Titan FuelMaster+ range is specifically designed for fuel dispensing and fuel protection and now allows you to monitor your tanks remotely giving you access to your fuel levels from anywhere. All FuelMaster+ fuel and diesel tanks come supplied as standard with the new Watchman Anywhere remote oil level monitor system and offer a reliable, high performance solution for your fuel dispensing and protection needs.



#### **SPECIFICATIONS**

Function in Tank Monitoring System
9000/1980
3280
2450
2950
10 Years (1 Year on components)
pending
3
Spillstop device
Agricultural Fuel Oil (Class 2A) and Gas/Oil/Diesel (Class D) and Diesel Fuel in accordance with BS EN590
Automatic Nozzle, 10m Hose Reel, 10 Micron Partile Filter, Tank Monitoring System



## EnergyStorage Solutions KINGSPAN TITAN

#### **OVERVIEW**

#### **BENEFITS**

Secure fuel storage and efficient dispensing

Access oil levels from anywhere

Complete control over your fuel levels - giving you peace of mind.

Remote Monitor comes with first 12 months Free Subscription - affordable annual subscription thereafter

Regulation Compliance: The Control of Pollution Regulations and comparable requirements across the UK and Ireland

OFCERT approved and manufactured to ISO standards for your complete peace of mind

#### **FEATURES**

Watchman Anywhere Remote Oil Tank Monitoring as standard\*.

10 micron particle & amp; water filter standard.

SpillStop overfill prevention device fitted as standard.

Pump which dispenses at 56 litres per minute as standard.

Pump options: Rotary, 12 Volt, 110 Volt, 230 Volt

Fitted light inside dispensing cabinet (230V version only).

Suitable for the following fuel types: Agricultural Fuel Oil (Class 2A) and Gas/Oil/Diesel (Class D) and Diesel Fuel in accordance with BSEN590

\*In order to view the levels of the tank you must activate the unit by registering online via

www.watchmananywhere.com



### EnergyStorage Solutions KINGSPAN TITAN

